

Flexo-Technic Handels GmbH USIED CODE 12133

Solvent recovery Type OFRU DSC 200



Full automatic working systems.

Vessel in **STAINLESS STEEL**. Even the internal piping. This is high quality.

For all alternative solvents and **PERC/BUTANOL**.

With a base frame to enable the discharge into a 200 I barrel.

Saves money with the first start.

OFRU DSC 200 stainless steel with vacuum Year of make 2000 – very good condition Very power-full with 24 KW



The condition of the vessel is excellent. The vibration level sensor is absolutely reliable.




Was in operation only for 3 years.





with working hour meter

OFRU DSC 200 with opened side covering.



Technical information for the **OFRU DSC 200**

Unit for the recovery of high boiling solvent.

- Full automatic working system possible.
 Indirect heating by diathermia oil in closed circuit.
- > Vacuum unit for distillation of high boiling or thermo labile solvents
- > Vessel illumination ex-proof
- With a base frame to enable the discharge into a 200 I barrel.

Year of manufacture	2000
Volume of distillation vessel	200 litre
Constant filling volume	100 litre
ναςυυμ	Yes
Inline production	Possible, see schematic
Output per hour	30 liter*
Operation hours	24 hours possible
Heating up time	1 hour
Type of protection	Eexe II T 3
Operation temperature	max. 200
Vacuum abs.	max. 50 mbar
Power requirement	230/400 V / 50 Hz / 3Ph
Power consumption oil-heater	24 kW - 35 A
Consumption cooling water	0,8 m³/h

* Depends on type of solvent, type and percentage of contamination